




2020/21 CATALOGUE EXPORT












# CONTENTS

lechnology		Heritage Reels		Luggage	
SINTRIX® Technology	4	Cascapedia	31	Classic Luggage	56
SINTRIX®: Success Story	5	Wide Spool Perfect	32	Leather Reel Cases	58
SINTRIX® Evolution	6	Narrow Spool Perfect	33		
FWS, AWS and SWS	7	Bouglé	34	Caps	
		1939 Bouglé	35	Caps	59
Performance Rods		Duchess	36		
Wraith	II	Marquis LWT	38	Accessories	
Ultralite	12	-		Tools	60
Ultralite LL	15	Performance Reels			
Zephrus DH	17	Zane Carbon	40	Help to Order	
Zane Pro	18	HBX	42	Placing your order	64
Zane	21	Ultralite MTX-S	44	Adobe Scene 7	65
Demon	22	Ultralite MTX	47		
Demon DH	25	Ultradisc	48		
Demon Switch	25	Ultraclick	51		
Demon Smuggler	27	Ultralite ASR	53		
Shadow	29				
		Spare Spools			
		Spare Spools	54		



# SINTRIX® TECHNOLOGY: IT'S THE SMALL THINGS THAT MAKE A BIG DIFFERENCE.



Microscopic silica spheres evenly surround every individual carbon fibre filament providing a matrix of strength throughout the rod.

Never has that statement held more truth than with the development of SINTRIX® technology.

All carbon rods utilise carbon fibres that are bonded together by an adhesive resin. The resin material used in SINTRIX® is produced by 3M®, it is a unique and patented material incorporating silica nano spheres which provides two distinct benefits.

Firstly the microscopic silica spheres are able to evenly surround every individual carbon fibre filament providing a matrix of strength throughout the rod. Secondly, being spherical, the silica particles are able to resist pressure and compression from any angle. This is particularly important because it is under compression forces, on the underside of a bent rod, rather than tension forces, on the outside of the curve, that carbon fibre is most likely to weaken and potentially break. So by resisting compression better, SINTRIX® rods are stronger.

In developing SINTRIX® our specialist composite engineers and rod designers spent over two years experimenting with different types, and mixes, of carbon fibres combined with varying levels of  $3M^{\circ}$  nano silica resin. They also discovered that the normal manufacturing processes associated with carbon fibre rods had to be significantly changed in order to get the best from the new  $3M^{\circ}$  resin material. The final results were astonishing with up to 60% increases in strength and up to 30% savings in weight.

Driven by our passion and determination to always push the boundaries—part of Hardy's DNA since 1872—we offer varying levels of SINTRIX® technology across our rod range, each level brings significant and tangible benefits over traditional carbon fibre construction.



# SINTRIX®: THE SUCCESS STORY.

When I received the first prototype blanks rolled from SINTRIX® material in late 2009 I was shocked. I've held and flexed literally thousands of rod blanks over the years, and when I held the 9ft #10 saltwater rod, I was immediately taken aback at the lack of weight for a #10 – it just instantly felt 'right'.

Our early work on the material with our sister company Hardy Advanced Composites had indicated considerable increases in compressive strength and impact resistance where possible, but even our material engineers were not prepared for the results. Following the first day of testing, we even asked the manufacturer of our compressive strength tester to re-calibrate the machine as the results it had produced were, to quote one of our testers, "nonsense".


There was nothing wrong with the testing machine, the blanks netted out at close to 60% stronger than our calculations suggested they ought to be, and from that point on the entire team focused on the development of what became the Zenith and Proaxis series of rods and the refinement of what was to become SINTRIX® technology.

I could tell you about the testing trips to the Florida Keys fishing for sharks with medium-weight Trout rods, or the actual fist fight that took place on the dockside between two guides over a test rod, but I think some of these quotes from icons and pioneers in the sport tell the impact that SINTRIX® actually made far better than I could.

Howard Croston, Hardy Product Manager and England International.

## THE EVOLUTION OF SINTRIX®

All Hardy rods now feature our industry renowned SINTRIX® technology in one of 5 distinct performance enhancing variations.



# FRESHWATER, ALL WATER AND SALTWATER

#### **Tactical and Extreme**

A number of Hardy rods within our series feature T or E designations.


T designated rods are designed with highly tactical situations in mind where a careful combination of line feel, recovery and carefully calibrated blank stiffness are required to meet specific challenges.



Rods designated with an E are typically more at the 'extreme' end of the scale where ultrafast actions and high recovery are specifically required.

#### Freshwater (FWS)

FWS or "Freshwater series" rods feature selected wood spacers, refined handle designs and carefully selected hardware offering the optimum blend of lightness and durability.



#### All water (AWS)

AWS or "All water series" rods are designed to bridge the gap between light, freshwater and heavy saltwater applications, featuring saltwater safe hardware and fittings, including carbon or aluminium reel seat inserts. larger guides and more powerful actions.



#### Saltwater (SWS)

SWS or "Saltwater series" rods are true hardcore saltwater rods, designed to meet the challenges of the saltwater environment head on. The rods feature heavy duty fixtures and fittings including extra large guides, heavy duty salt safe reel seats and enlarged fighting butts.






#### Wraith



Trophy Brown Trout hugging the structure tight to a distant river bank, Rainbows smashing fry on the ripple line in a vast mountain lake, Sea Trout crashing in the void of the darkest summer nights. Adrenaline fuelled moments that require an adrenaline fuelled fly rod. Wraith with SINTRIX® 550 technology generates incredible line speed and unprecedented tip recovery for the longest of casts, yet retains a degree of line control and feel that is almost impossible to translate into words. Load one up and hold on.

Product Code	UPC	Lengt (ft)	<b>h</b>   (m) 	Rating	Handle	Weight [oz]	(g)	T-Code	RRP (£)
FWS 1370992	043388255051	9'	2,74	#5	RHW	2,9	83	T67685	879,90
AWS									
1370997	043388255105	9'6	2,90	#7	FW+EH	3,9	110	172300	939,90
1370998	043388255112	10'	3,05	#7	FW+EH	4,0	112	S76146	989,90



SINTRIX® 550	o blank construction
--------------	----------------------

REC® black pearl recoil guides

Fuji® titanium stripper guides

Ultra-fast action blank design

Selected hardwood and triaxial carbon spacers



Supplied in a custom aluminium tube with engraved metal end caps

## **Ultralite**

The all new Ultralite range of fly rods features SINTRIX NSX. SINTRIX NSX is based on our industry changing SINTRIX technology but now combined with a secondary classified additive that allows much lower prepreg weights to be achieved. This lighter weight material allows targeted modification of the blank design without affecting the blank's strength. The net result is lighter, more responsive blanks that allow the angler to "feel" the line more during the casting stroke giving a greater degree of control than ever before. The reel seat on the Ultralite is a masterpiece of form and function—moving more of the rod's weight percentage behind the hand gives incredible in-hand balance, single start threads resist the reel loosening under heavy use and a keyed body further ensure a snug fit for your reel.


Product	UPC	Lengt		Rating	Handle	Weight		T-Code	RRP
Code		(ft)	(m)			(oz)	[ (g)		(£)
Ultralite									
1521729	043388467652	8'0	2,44	#3	RHW	2,5	70	Y55377	719,90
1521730	043388467669	8.0	2,44	#4	RHW	2,5	70	E55377	719,90
1521731	043388467676	8'6	2,59	#4	RHW	2,6	75	D57685	749,90
1521732	043388467683	8'6	2,59	#5	RHW	2,8	78	Z57685	749,90
1521733	043388467690	9'0	2,74	#4	RHW	2,8	80	V59223	769,90
1521734	043388467706	9'0	2,74	#5	RHW	3,0	85	E59992	779,90
1521735	043388467713	9'0	2,74	#6	RHW	3,0	86	M59992	779,90
1521736	043388467720	9'0	2,74	#7	FW+EH	3,4	95	S63838	829,90
1521737	043388467737	9'6	2,90	#6	FW+EH	3,5	100	G64608	839,90
1521738	043388467744	9'6	2,90	#7	FW+EH	3,8	108	G64608	839,90
1521739	043388467751	9'6	2,90	#8	FW+EH	3,9	110	P64608	839,90
1521740	043388467768	10'0	3,05	#4	RHW	3,2	90	N62300	809,90
1521741	043388467775	10'0	3,05	#5	RHW	3,3	94	E62300	809,90
1521742	043388467782	10'0	3,05	#6	FW+EH	3,7	105	C66915	869,90
1521743	043388467799	10'0	3,05	#7	FW+EH	3,9	111	G66915	869,90
1521744	043388467805	10'0	3,05	#8	FW+EH	4,0	112	A66915	869,90
		1	1	1	1	1	1	1	1













- Ceramic lined titanium recoil guides
- Reel seat laser engraved with line size
- Fully redesigned blanks



## **Ultralite LL**

Never before have light line and river specific anglers had so many advanced techniques to choose from. The surge in popularity around advanced European style and competition style techniques has, to some degree, left rod design behind—not any more. These technique specific rods have been designed, developed and tested by some of the leading exponents of modern light line methods to represent the most refined and usable actions on the market for these demanding styles of fishing.

Product Code	UPC	Lengt (ft)	: <b>h</b>   (m)	Rating	Handle	Weight (oz)	(g)	T-Code	RRP (£)
Ultralite LL									
1521752	043388467881	9'2	2,79	#3	RHW	2,8	78	X58454	759,90
1521753	043388467898	9'2	2,79	#4	RHW	2,9	81	K59223	769,90
1521754	043388467904	9'9	2,97	#3	RHW	3,0	86	S60762	789,90
1521755	043388467911	9'9	2,97	#4	RHW	3,1	89	E61531	799,90
1521756	043388467928	10'2	3,10	#2	RHW+EH	3,2	91	S61531	799,90
1521757	043388467935	10'8	3,25	#0-2	RHW+EH	3,5	98	N63838	829,90
1521758	043388467942	10'8	3,25	#3	RHW+EH	3,5	100	164608	839,90
1521759	043388467959	11'2	3,40	#2	RHW+EH	3,6	103	R64608	839,90
					1	1	1		









- SINTRIX NSX combined with a greater percentage of high and high intermediate modulus carbon fibre
- Light weight blank design maximizes line feel and sensitivity
- Down locking reel seats on key sizes for balance improvement
- Ceramic lined titanium recoil guides
- Rod of choice for highly technical situations





# Zephrus Double Handed



A massively expanded and improved range of two handed fly rods with SINTRIX® 440 construction. The Zephrus range of two handed rods are the perfect combination of strength, power and finesse covering all two handed rod applications from small freestone streams to mighty spate rivers.

- SINTRIX® 440 blank construction
- 4 section design
- Fuji stripper guides
- REC recoil intermediates
- Triaxial carbon spacer
- TPS handle design

Product Code	UPC	Lengt (ft)	<b>h</b>   (m)	Rating	Handle	Weight (oz)	(g)	T-Code	RRP (£)	
Zephrus Double Handed										
1404118	043388419231	11'6	3,51	#6/7	TPSF	6,6	187	R76146	989,90	
1404120	043388419255	12'6	3,81	#7/8	TPSF	7,3	207	N84608	1099,90	
1404121	043388419262	13'6	4,11	#7/8	TPSF	8,1	230	W92300	1199,90	
1404122	043388419279	13'6	4,11	#8/9	TPSF	7,7	218	Q92300	1199,90	
1404123	043388419286	14'6	4,42	#9/10	TPSF	8,9	252	P96915	1259,90	
1404124	043388419293	15'1	4,60	#10/11	TPSF	9,2	261	B101531	1319,90	









## **Zane Pro**

The Saltwater game changer 2.0. So why redesign possibly the greatest saltwater fly rod ever built?

Why reduce the shaft diameter on selected sizes for better wind penetration and reduced weight? Why redesign the mandrels and pattern layups to squeeze every last drop of performance out of the aerospace grade carbon fibre and advanced SINTRIX 440 resin system? Why upgrade the guides to the latest generation in ceramic lined titanium recoils? Why upgrade to a single start scratch resistant hard anodised reel seat?

The simple answer is why not.

Product	UPC	Lengt	h	Rating	Handle	Weight		T-Code	RRP
Code		(ft)	(m)			(oz)	(g)		(£)
Zane Pro									
1511813	043388459671	9'0	2,74	#6	FW+EH	3,7	106	H76915	999,90
1511814	043388459688	9'0	2,74	#7	FW+EH	3,8	109	Y76915	999,90
1511815	043388459695	9'0	2,74	#8	FW+EH	4,0	112	H76915	999,90
1511816	043388459701	9'0	2,74	#9	FW+EH	4,2	119	D76915	999,90
1511817	043388459718	9'0	2,74	#10	FW+EH	4,3	123	076915	999,90
1511818	043388459725	9'0	2,74	#11	FW+EH	4,7	132	N76915	999,90
1511819	043388459732	9'0	2,74	#12	FW+EH	4,9	139	K76915	999,90
		1	1	1	1	1	1	1	1













- Low profile, more responsive blank design
- Ceramic lined titanium recoil guides
- Hard anodized reel fitting
- Legendary strength to weight ratio of SINTRIX 440
- 4 section design for the ultimate in performance and convenience





## Zane



Based on the blank design of the award winning Proaxis series of rods, the all new Zane series brings performance, durability and refinement in a range of lengths and line sizes to suit all saltwater and predator anglers.

_	_			_	
2	Ceramic	lined	titanium	frame	guides

Salt safe anodized reel seat

Strength to weight ratio of SINTRIX 330

4 section design for the ultimate in performance and convenience

Product	UPC	Leng	th	Rating	Handle	Weigh	t	T-Code	RRP
Code		(ft)	(m)			(oz)	(g)		(£)
Zane									
1513740	043388460738	9'0	2,74	#6	FW+EH	3,5	100	W49223	639,90
1513741	043388460745	9'0	2,74	#7	FW+EH	3,6	103	W49223	639,90
1513742	043388460752	9'0	2,74	#8	FW+EH	3,7	105	T49992	649,90
1513743	043388460769	9'0	2,74	#9	FW+EH	4,1	116	B50762	659,90
1513744	043388460776	9'0	2,74	#10	FW+EH	4,2	120	G51531	669,90
1513745	043388460783	9'0	2,74	#11	FW+EH	4,5	127	R51531	669,90
1513746	043388460790	9'0	2,74	#12	FW+EH	4,7	132	G52300	679,90







#### **Demon**

Fully redesigned blanks offer lighter weight and faster recovery than the much loved Jet series. Hardy Demon is manufactured in SINTRIX® 330 for increased strength to weight ratio and improved in hand balance. A full range of rods covering every use from small stream through technical nymph fishing and the largest of wind swept reservoirs. Stunning clean cosmetics include a metallic olive blank, custom reel seat and high quality hardware.

Product Code	UPC	Lengt (ft)	<b>h</b>   (m)	Rating	Handle	Weight (oz)	(g)	T-Code	RRP (£)
Demon									
1428298	043388436061	7'	2,13	#3	RHW	2,4	68	U33838	439,90
1428429	043388436078	7'	2,13	#5	RHW	2,4	68	U33838	439,90
1428430	043388436085	8'	2,44	#4	RHW	2,5	71	T35377	459,90
1428431	043388436092	8'6	2,59	#5	RHW	2,8	79	V36146	469,90
1428432	043388436108	9'	2,74	#4	RHW	2,8	79	X36915	479,90
1428433	043388436115	9'	2,74	#5	RHW	3,0	85	S36915	479,90
1428434	043388436122	9'	2,74	#6	RHW	3,0	85	W36915	479,90
1428440	043388436184	9'6	2,90	#6	FW+EH	3,9	111	T38454	499,90
1428441	043388436191	9'6	2,90	#7	FW+EH	4,0	113	V38454	499,90
1428442	043388436207	10'	3,05	#4	RHW	3,2	91	C39223	509,90
1428443	043388436214	10'	3,05	#5	RHW	3,3	94	V39223	509,90
1428444	043388436221	10'	3,05	#6	FW+EH	4,0	113	L39223	509,90
1428445	043388436238	10'	3,05	#7	FW+EH	4,1	116	G39223	509,90
1428446	043388436245	10'	3,05	#8	FW+EH	4,2	119	M39223	509,90







- SINTRIX® 330 blank construction
- Fuji® guides
- Easy loading high recovery blank design
- Bar stock 6061 aluminium reel seat with alloy or hardwood insert
- Supplied in a custom aluminium tube with engraved metal end caps









#### **Demon DH & Demon Switch**

Fully redesigned blanks offer lighter weight and faster recovery than the much loved Jet series. Hardy Demon is manufactured in SINTRIX® 330 for increased strength to weight ratio and improved in hand balance. A full range of rods covering a multitude of two handed casting techniques and fishing styles. Stunning clean cosmetics include a metallic olive blank, custom reel seat and high quality hardware.

SINTRIX® 330 blank construction

Fuji<sup>®</sup> guides

Easy loading high recovery blank design

Bar stock 6061 aluminium reel seat with alloy insert

Supplied in a custom aluminium tube with engraved metal end caps

Product	UPC	Lengt	:h	Rating	Handle	Weight		T-Code	RRP
Code		(ft)	(m)			(oz)	(g)		(£)
Switch									
1428450	043388436283	111'	3.35	#5/6	Switch	4,9	139	B46146	599.90
		' '	',' '	"					' '
1428451	043388436290	11'	3,35	#6/7	Switch	4,9	139	J46146	599,90
1428452	043388436306	11'	3,35	#7/8	Switch	5,1	145	B46146	599,90
Double Hand	ed								
1428453	043388436313	11'9	3,58	#7/8	TPSF	6,8	193	J55377	719,90
1428454	043388436320	12'9	3,89	#8/9	TPSF	7,8	221	F59223	769,90
1428455	043388436337	13'9	4,19	#9/10	TPSF	8,6	244	G63838	829,90
1428456	043388436344	14'9	4,50	#10/11	TPSF	9,2	261	J67685	879,90
















# **Demon Smuggler**

ALEKKI BERKERAKAN AND A







SINTRIX

330

- SINTRIX® 330 blank construction in 6 section configuration
- Medium fast action with high recovery
- AmTac Ti guides
- Built-in hook keeper
- Supplied in a custom aluminium tube with engraved metal end caps

from 48.7cm to 83.5cm ---



Well travelled. The 6 piece smuggler configuration fits neatly in the compact aluminium tube.



#### **Shadow**

Hardy Shadow brings a new level of technology and value into the Hardy brand. SINTRIX® 220 is the stepping stone into the industry leading SINTRIX® technology platform. Hardy Shadow features an easy loading yet sharp recovering blank design that gives easy access to user-friendly high performance. All Shadow rods feature high quality hardware and a modern cosmetic design that reflects the finest Hardy build quality.

- SINTRIX® 220 blank construction
- High quality hardware
- Easy loading yet sharp recovery blank design
- Bar stock 6061 aluminium reel seat
- Supplied in a custom, hard tube

Product Code	UPC	Lengtl (ft)	<b>h</b>   (m)	Rating	Handle	Weight (oz)	(g)	T-Code	RRP (£)
Cinale Heade									
Single Handed	1	1			1	1	ı	ı	
1428457	043388436351	8'6	2,59	#4	RHW	2,5	72	J25377	329,90
1446778	043388443670	9'	2,74	#4	RHW	2,8	80	S27685	359,90
1428458	043388436368	9'	2,74	#5	RHW	2,8	81	H27685	359,90
1428459	043388436375	9'	2,74	#6	RHW	2,7	78	G27685	359,90
1428460	043388436382	9'	2,74	#7	FW+EH	3,8	109	H28454	369,90
1428461	043388436399	9'	2,74	#8	FW+EH	3,9	113	V28454	369,90
1428462	043388436405	9'	2,74	#9	FW+EH	4,0	115	K28454	369,90
1428463	043388436412	9'6	2,90	#7	FW+EH	4,1	117	U31531	409,90
1428464	043388436429	10'	3,05	#7	FW+EH	4,2	120	K32300	419,90
1428465	043388436436	11'	3,35	#6/7	FW+EH	4,5	130	133838	439,90
Double Hande	d			•					
1428466	043388436443	14'	4,27	#9/10	TPSF	9,1	259	D55377	719,90











# Cascapedia



Available in a full 4 size range covering every fresh water application from Trout to two handed Spey. The new Cascapedia reel is a stunning addition to the Hardy Made in England reel series. The two smaller sizes feature a classic click check system whilst the larger models feature a fully functioning disc drag with an inbuilt audible clicker to give the classic Cascapedia sound.

Made in Alnwick, England

Full bar stock construction

'S' shaped handle

Classic click check ratchet sound



Product Code	UPC	Model	Line Size	Capacity (m)	Weight (oz)	(g)	Diamet (inch)	er   (mm)	T-Code	RRP (£)
Trout	Į.				l		1			l
1420674	043388432117	3 inch Trout	4/5	WF5+75 (30lb Dacron)	6,3	179	3,0	76	Y37685	489,90
1420675	043388432124	3½ inch Sea Trout	6/7	WF7+85 (30lb Dacron)	8,4	238	3,5	89	D39992	519,90
Salmon										
1420676	043388432131	3¾ inch Light Salmon	8/9	WF9+190 (30lb Dacron)	12,7	360	3,75	95	R42300	549,90
1420677	043388432148	4 inch Salmon	10/11	WF11+290 (30lb Dacron)	14	397	4,0	102	Z45377	589,90

# Wide Spool Perfect



Beautiful classic fly reels, the latest revision in over a century of the Perfect. This model features a time proven check system and that classic Perfect sound, hand-crafted in Alnwick, England.

Ever since Forster Hardy was first granted a full patent for the Perfect reel design in 1889, our engineers have been constantly striving for ways to improve on perfection, tweaking and adjusting to bring you what we believe are the best reels in their class to date. After all, if we offered anything less, it would not be a Perfect.

- Made in Alnwick, England
- The all time classic fly reel for the discerning traditional fly angler
- Engineered and hand crafted from bar stock aluminium with a naval brass 1 piece spindle and stainless steel ball bearings
- Standard arbor design and large line capacity

- Time proven, adjustable check system with that traditional 'Hardy sound'
- Deep anodised for strength and durability; smooth gunmetal grey satin finish
- Easily changed from left to right hand wind
- Supplied in a soft leather, sheepskin lined reel pouch




Product	UPC Code	Model	Line	Capacity	Weight		Diameter		T-Code	RRP
Code			Size	(m)	(oz)	(g)	(inch)	(mm)		(£)
Wide Spool Perfect										
1327819	617075468163	21/8 inch	2/3/4	WF4 +60	5,3	150	2,87	73	S37685	489,90
1327822	617075468187	31/8 inch	4/5/6	WF6 +53	5,7	162	3,12	79	Z39223	509,90
1327823	617075468200	3% inch	6/7/8	WF8 +75	6,2	176	3,37	86	J40762	529,90
1327824	617075470371	3% inch	7/8/9	WF9 +155	9,9	281	3,87	98	F42300	549,90
1327826	617075470388	4 inch	9/10/11	WF10 +247	11,0	312	4,0	102	D44608	579,90
1327829	617075470395	41/4 inch	11/12	WF12 +265	11,3	320	4,25	108	P46915	609,90
			1		1	1	I	I	1	1

# **Narrow Spool Perfect**



Our classic Narrow Spool Perfect reintroduced on a limited basis only. Fitted with hand specific, polished rotating line guard and available in both left or right hand configurations.



Rotating polished line guard

Available in both LHW/RHW options

The classic reel for use on bamboo/retro glass rods





Product Code	UPC Code	Model	Line Size	Capacity (m)	Weight (oz)	(g)	Diamet (inch)	er   (mm)	T-Code	RRP (€)
Narrow Spool Perfect										
1521688	043388467249	21/8 inch LHW	2/3/4	WF4 +60	5,3	150	2,87	73	V61531	799,90
1521689	043388467256	31/8 inch LHW	4/5/6	WF6 +53	5,7	162	3,12	79	Q61531	799,90
1521690	043388467263	2% inch RHW	2/3/4	WF4 +60	5,3	150	2,87	73	W61531	799,90
1521691	043388467270	31/8 inch RHW	4/5/6	WF6 +53	5,7	162	3,12	79	R61531	799,90

# Bouglé



Launched in 2013 to celebrate the reel's 110th birthday, this Bouglé is one of the best yet – with its rolling pillar; reversible click check; naval brass bush and spindle; and its hand polished, deep anodised 'pearl silver' finish. This Bouglé reel is already one of the classics.

Made by time served Hardy Bros. reel makers here in Alnwick, England, this Bouglé reel comes presented in a beautiful, UK made, soft leather, sheepskin lined reel case.

- Made in Alnwick, England
- A stunning piece of classic design, aesthetics and performance combined
- Engineered, hand crafted and polished in bar stock aluminium finished in pearl silver
- Traditional standard arbor

- Sweet sounding, wide ranging check system
- Naval brass bush and spindle
- Easily changed from left- to right-hand wind
- Spools interchangeable with Bouglé Mk VII, VI, V and IV
- Supplied with Hardy Bros. soft leather, sheepskin lined reel pouch

Product	UPC Code	Model	Line	Capacity	Weight		Diameter		T-Code	RRP
Code			Size	(m)	(oz)	(g)	(inch)	(mm)		(£)
Bouglé										
1327288	617075473174	Baby Bouglé	1/2/3	DT2 +25	3,20	91	2,81	71	A36915	479,90
1327289	617075473181	3 inch	2/3/4	DT2 +70	3,60	102	3,0	76	W39992	519,90
1327290	617075473198	3¼ inch	3/4/5	DT4 +100	4,10	116	3,25	83	L40762	529,90
1327291	617075473204	3½ inch	5/6/7	DT6 +70	4,70	133	3,50	89	R40762	529,90
1327292	617075473211	4 inch	9/10/11	DT10 +225	7,90	224	4.0	102	Z46915	609,90



# 1939 Bouglé



A classic 1939 Bouglé now available in a stunning gunmetal colour scheme with an additional 3¾ inch size, ideal for use on light Spey and Switch rods. Available for a limited time only.

- Sweet sounding, wide ranging check system
- Naval brass bush and spindle
- Deep anodized bar stock aluminum in Pearl Silver finish
- Easily changed from left- to right-hand wind
- Spools interchangeable with Bouglé Mk VII, VI, V & IV
- Supplied with Hardy Bros. soft leather, sheepskin lined reel pouch





Product Code	UPC Code	Model	Line Size	Capacity [m]	Weight (oz) (g)		Diameter (inch)   (mm)		T-Code	RRP (£)
<b>1939 Bouglé</b> 1521684	043388467201	3 inch	2/3/4	DT2+70	3,6	102	3,0	85	Q46146	599,90
1521685	043388467218	3¼ inch	3/4/5	DT4+100	4,1	116	3,25	92	V52300	679,90
1521686	043388467225	3¾ inch Olympic	7/8/9	DT9+150	7,2	205	3,75	106	B53838	699,90

## **Duchess**




The first new Hardy 'Heritage' reel in over a decade, hand-made in Alnwick, England by skilled craftsmen. This reel combines innovative features like split-cage frame design and dual line guards with high quality materials and classic styling.

- Made in Alnwick, England
- Ambidextrous regulator
- Engineered, hand crafted and polished in bar stock aluminium finished in pearl silver
- Split-cage frame design
- Twin line guards



Product Code	UPC Code	Model	Line Size	Capacity (m)	Weight (oz)	(g)	Diamet (inch)	er   (mm)	T-Code	RRP (£)
Duchess										
1365572	617075479817	2¾ inch	2/3	WF3 +38	3,1	89	2,75	70	M29992	389,90
1365573	617075479824	3 inch	3/4	WF5 +40	3,7	104	3,0	76	M33838	439,90
1365574	617075479831	3¼ inch	5/6	WF6 +60	4,0	113	3,25	83	B38454	499,90
1365575	617075479848	4 inch	10/11	WF11 +270	7,6	217	4,0	102	U42300	549,90





# **Marquis LWT**



A re-modelled classic Hardy fly reel. The Marquis was a mainstay of the Hardy line up for many years and this new edition features numerous improvements to the original including subtle updating of the classic style with an indented regulator button, increased porting and improved regulation range.

Made in Alnwick, England

Modified porting to reduce weight

Bar stock 6061 construction

Updated yet classic styling

E Improved range of adjustment

Indented regulator button

Product Code	UPC Code	Line Size	Capacity	Weight		Diamet		T-Code	RRP (£)
Coue		Size	[ (m)	(oz)	[g]	(inch)	(mm)		(E)
Marquis LWT									
1404247	043388420527	2/3	WF3+22	3,16	90	2,58	65	Q19992	259,90
1404248	043388420534	4	WF4+30	3,40	96	2,79	71	S20762	269,90
1404249	043388420541	5	WF5+40	3,76	107	3,05	77	A22300	289,90
1404250	043388420558	6	WF6+45	4,32	122	3,28	83	E23069	299,90
1404251	043388420565	7	WF7+67	4,62	131	3,47	88	V23069	299,90
Marquis LWT	Salmon								
1404252	043388420572	Sal 1	WF10+170	8,11	230	3,90	99	M23838	309,90
1404253	043388420589	Sal 2	WF11+280	9,30	264	4,15	105	C24608	319,90
1404254	043388420596	Sal 3	WF12+400	9,90	281	4,15	105	M25377	329,90



# **Zane Carbon**

Designed for the flats angler, the Zane Carbon is a lightweight, large arbor, sealed disc drag reel capable of handling anything that's thrown at it. Perfectly at home taming Bonefish or Sea Trout in its smaller sizes to Permit and Tarpon in the 10,000 and 12,000 sizes. The regulated hard indent drag system allows accurate drag settings to be applied quickly in the heat of battle.

- Bar stock 6061/carbon with non-flash salt-safe anodized finish
- Fully sealed multi-pad disc drag with 10lb+ stopping power
- 240 degree regulated drag control with hard indents for fast accurate adjustments





Product Code	UPC Code	Line Size	Capacity (m)	Weigh (oz)	<b>nt</b>   (g)	Diame (inch)	ter   (mm)	T-Code	RRP (£)
Zane Carbo	n		'						
1513749	043388460820	7/8	WF8+200	3,8	107	4,0	113	H35377	459,90
1513750	043388460837	8/9	WF11+290	4,0	113	4,3	122	X36915	479,90
1513751	043388460844	9/10	WF10+250	6,7	189	4,6	130	H42300	549,90
1513752	043388460851	11/12	WF12+400	7,0	200	5,0	142	N46915	609,90



Hardy has been hand-crafting reels in Alnwick for over 120 years, a record that no other tackle manufacturer can ever hope to match. The HBX reel combines cuttingedge modern cosmetics and technology with the hand built quality of all of our Made in England reels.

The range caters for both freshwater and saltwater scenarios, from brook Trout to Tarpon and everything in-between.

The HBX reels are low maintenance to allow you to concentrate on what is important. The drag systems are both fully flushable with freshwater, meaning minimal maintenance.



Product Code	UPC	Line Size	Capacity	Weight (oz)	[g]	Diamet (inch)	er   (mm)	T-Code	RRP (£)
Freshwater		<u> </u>	I					1	
1453308	043388444363	4/5	WF5+75m	5,2	148	3,5	90	P42300	549,90
1453309	043388444370	5/6	WF6+75m	5,6	158	3,8	96	S46146	599,90
All Water									
1453310	043388444387	7/8	WF8+120m	8,5	242	4,0	102	Y50762	659,90
1453311	043388444394	9/10	WF10+150m	11,1	316	4,3	108	L55377	719,90
1453312	043388444400	10/11	WF11+200m	12,2	345	4,5	115	L59223	769,90

#### Freshwater

Hand built in Alnwick, England

Machined from 6061 bar stock aluminium

Linear Rulon® disc drag system

Flushable drag system

Captive spool release





# **Ultralite MTX-S**

A bold step forward in reel design, the Ultralite MTX-S is our first fly reel to feature a hybrid carbon fibre / alloy main frame construction with a sealed disc drag system. Strong, light and with a stunning industrial design, the MTX-S features a carbon fiber drag system, 340 degree colour coded regulator, captive spool release and high line capacity.

- Hybrid carbon fibre / alloy main frame design
- Stunning industrial design
- Sealed carbon fibre disc drag system



Ultralite MTX-S employes a **sealed disc drag system** designed to withstand sand, grit and water ingress.







Product Code	UPC	Model	Line Size	Capacity (m)	Weight (oz)	(g)	Diamet (inch)	er   (mm)	T-Code	RRP (£)
Ultralite MTX	-S									
1501879	043388457899	3000	3/4/5	WF4+45 (20lb Dacron)	4,3	122	3,5	89	U38454	499,90
1501880	043388457905	5000	5/6/7	WF6+80 (20lb Dacron)	5,0	137	3,9	99	S42300	549,90
1501881	043388457912	7000	7/8/9	WF8+115 (20lb Dacron)	5,9	157	4,3	109	046146	599,90



# **Ultralite MTX**

A new benchmark in reel design, the Hardy Ultralite MTX is Hardy's first fly reel to feature a hybrid carbon fibre / alloy main frame construction. Strong, light and with a stunning industrial design, the MTX features a carbon fibre drag system with 340 degree colour coded regulator, captive spool release and high line capacity.

Hybrid carbon fibre / alloy main frame design

Stunning industrial design

Carbon fibre disc drag system

Colour coded drag regulator



Product Code	UPC	Model	Line Size	Capacity (m)	Weight (oz)	(g)	Diamet (inch)	er   (mm)	T-Code	RRP (£)
Ultralite MTX										
1428467	043388436450	3000	3/4/5	WF4+45 (20lb Dacron)	4,3	122	3,5	89	V33838	439,90
1428468	043388436467	5000	5/6/7	WF6+80 (20lb Dacron)	5,0	142	3,9	99	D36146	469,90
1428469	043388436474	7000	7/8/9	WF8+115 (20lb Dacron)	5,9	167	4,3	109	C40762	529,90

# **Ultradisc**

A lightweight disc drag reel in its purest form, the all new Ultradisc features everything you need and nothing you don't in a disc drag fly reel.

With an innovative frame design this reel sets a new standard in light weight performance reels whilst allowing the use of ultra thin fly lines and running lines as well as leader-only systems popular in modern river fishing. The scaled multi-pad drag system is also unregulated meaning fine adjustment of the drag pressure over a large window is possible.



Product	UPC Code	Line	Capacity	Weigh		Diame		T-Code	RRP
Code		Size	(m)	(oz)	(g)	(inch)	(mm)		(£)
Ultradisc G	un Metal			1	1				
1521699	043388467355	3/4/5	WF4+45	3,8	107	3,5	89	T19223	249,90
1521700	043388467362	4/5/6	WF5+75	4,0	113	3,7	94	N26915	349,90
1521701	043388467379	5/6/7	WF6+80	4,2	120	3,9	99	L21531	279,90
1521702	043388467386	6/7/8	WF7+100	4,9	138	4,1	104	M23838	309,90
1521703	043388467393	7/8/9	WF8+115	5,0	142	4,3	109	S26915	349,90
1521704	043388467409	8/9/10	WF9+150	6,4	182	4,5	114	G28454	369,90
1521705	043388467416	9/10/11	WF10+150	6,7	189	4,8	122	N31531	409,90
1521706	043388467423	10/11/12	WF10+240	7,0	200	5,0	127	X33069	429,90
Ultradisc B	lack								
1521707	043388467430	3/4/5	WF4+45	3,8	107	3,5	89	Y19223	249,90
1521708	043388467447	4/5/6	WF5+75	4,0	113	3,7	94	E26915	349,90
1521709	043388467454	5/6/7	WF6+80	4,2	120	3,9	99	N21531	279,90
1521710	043388467461	6/7/8	WF7+100	4,9	138	4,1	104	H23838	309,90
1521711	043388467478	7/8/9	WF8+115	5,0	142	4,3	109	R26915	349,90

- A new standard in light weight disc drag reel design
- Multi pad scaled disc drag system
- Unregulated drag system for fine adjustments
- Enclosed line guard frame design for use with leader only systems and thin running lines
- The lightest disc drag reel ever produced by Hardy





# **Ultraclick**

A new standard in ultra light fly reels. The UCL series is our lightest ever fly reel, featuring a fully enclosed line guard for use with ultra thin line designs and leader-only systems. This series of reels is the ultimate for the light line aficionado. Fitted with an adjustable all-metal click system, this is the perfect reel for the lightest of applications.

- A new standard in light weight reel design
- Adjustable all metal clicker system
- Enclosed line guard frame design for use with leader only systems and ultra thin fly lines
- Push off spool release
- The lightest fly reel ever produced by Hardy





Product Code	UPC Code	Line Size	Capacity (m)	Weight (oz)	(g)	<b>Diamet</b> (inch)	er (mm)	T-Code	RRP (£)
Ultraclick									
1521695	043388467317	1/2/3	WF2+33	2,0	57	3,1	79	E15377	199,90
1521696	043388467324	2/3/4	WF3+40	2,2	62	3,3	84	B16146	209,90
1521697	043388467331	3/4/5	WF4+45	2,3	65	3,5	89	W16915	219,90
1521698	043388467348	4/5/6	WF5+75	2,4	68	3,7	94	N18454	239,90



## **Ultralite ASR**

The ultimate cassette system reel, the Hardy Ultralite® ASR (Assisted Spool Release) reel features a fast, easy-to-use spool release sytem that actively frees the spool at the flick of a switch and automatically engages the new spool with a simple push fit. Also in this range is a lightweight size model specifically designed for the challenges of modern river fishing.

- Bar stock 6061 main construction
- High impact composite spool 2
- Unique ASR spool system
- 2 Line ID system
- Multi pad, colour-coded 340 degree disc drag
- Heavily ported lightweight design
- Full size range 2
- Supplied with two additional spare spools and case



Product	UPC	Model	Size	Capacity	Weight		Diamet		T-Code	RRP
Code				[m]	lozl	(g)	(inch)	[mm]		(£)
Ultralite ASR										
1404237	043388420428	4000	4/5	WF5+50	6,2	176	3,75	95	P23838	309,90
1404238	043388420435	5000	5/6	WF6+50	6,6	187	4,06	103	S24608	319,90
1404239	043388420442	6000	6/7	WF7+65	6,8	193	4,18	106	E26146	339,90
1404240	043388420459	7000	7/8	WF8+100	7,2	204	4,30	109	C27685	359,90
1404241	043388420466	9000	9/10/11	WF12+150	8,8	249	4,84	123	C32300	419,90



Fly line ID system Permanent/reusable line identification system



**Assisted Spool Release (ASR)** Spool is ejected at the flick of a switch.



# **Spare Spools**

SAP	UPC	Model	T-Code	RRP (£)
НВХ				
1453313	043388444417	4/5 HBX	1	l +
1453314	043388444424	5/6 HBX		+
1453315	043388444431	7/8 HBX		+
1453316	043388444448	9/10 HBX		+
1453317	043388444455	10/11 HBX		+
Wide Spool	Perfect		'	
1327850	617075468170	21/18 inch Wide Spool Perfect		+
1327853	617075468194	31/8 inch Wide Spool Perfect		+
1327854	617075468217	3% inch Wide Spool Perfect		+
1327855	617075470401	37/8 inch Wide Spool Perfect		+
1327857	617075470418	4 inch Wide Spool Perfect		+
1327859	617075470425	41/4 inch Wide Spool Perfect		+
Duchess				
1365576	617075479855	Duchess 2¾ inch		+
1365577	617075479862	Duchess 3 inch		+
1365578	617075479879	Duchess 31/4 inch		+
1365579	617075479886	Duchess 4 inch		+
Marquis			·	
1404255	043388420602	Marquis LWT 2/3		+
1404256	043388420619	Marquis LWT 4		+
1404257	043388420626	Marquis LWT 5		+
1404258	043388420633	Marquis LWT 6		+
1404259	043388420640	Marquis LWT 7		+
1404260	043388420657	Marquis LWT Sal 1		+
1404261	043388420664	Marquis LWT Sal 2		+
1404262	043388420671	Marquis LWT Sal 3		+

SAP	UPC	Model	T-Code	RRP (£)
Zane Carbo	on			
1513753	043388460868	Zane Carbon 7/8	G12300	159,90
1513754	043388460875	Zane Carbon 8/9	W13069	169,90
1513755	043388460882	Zane Carbon 9/10	Q14608	189,90
1513756	043388460899	Zane Carbon 11/12	W16146	209,90
Ultralite M	TX-S			
1501882	043388457929	Ultralite MTX-S 3000	T11531	149,90
1501883	043388457936	Ultralite MTX-S 5000	X12300	159,90
1501884	043388457943	Ultralite MTX-S 7000	X13069	169,90
Ultralite M	TX		'	
1428470	043388436450	Ultralite MTX 3000		+
1428471	043388436467	Ultralite MTX 5000		+
1428472	043388436474	Ultralite MTX 7000		+
1428472	043388436474	Ultralite MTX 7000		+
Ultradisc				
1521716	043388467522	Ultradisc 3000 GM	M13069	169,90
1521717	043388467539	Ultradisc 4000 GM	F9992	129,90
1521718	043388467546	Ultradisc 5000 GM	W10762	139,90
1521719	043388467553	Ultradisc 6000 GM	H11531	149,90
1521720	043388467560	Ultradisc 7000 GM	B13069	169,90
1521721	043388467577	Ultradisc 8000 GM	S13838	179,90
1521722	043388467584	Ultradisc 9000 GM	N15377	199,90
1521723	043388467591	Ultradisc 10000 GM	V16146	209,90
1521724	043388467607	Ultradisc 3000 Black	D13069	169,90
1521725	043388467614	Ultradisc 4000 Black	19992	129,90
1521726	043388467621	Ultradisc 5000 Black	J10762	139,90
1521727	043388467638	Ultradisc 6000 Black	L11531	149,90
1521728	043388467645	Ultradisc 7000 Black	A13069	169,90

SAP	UPC	Model	T-Code	RRP (£)
Ultraclick			I	
1521712	043388467485	Ultraclick 2000	J7685	99,90
1521713	043388467492	Ultraclick 3000	B7685	99,90
1521714	043388467508	Ultraclick 4000	N8454	109,90
1521715	043388467515	Ultraclick 5000	R8838	114,90
Ultralite F	WDD		-	
1404234	043388420398	Ultralite FW DD 2000		+
1404235	043388420404	Ultralite FW DD 3000		+
1404236	043388420411	Ultralite FW DD 4000		+
Ultralite A	SR			<u> </u>
1404242	043388420473	Ultralite ASR 4000		+
1404243	043388420480	Ultralite ASR 5000		+
1404244	043388420497	Ultralite ASR 6000		+
1404245	043388420503	Ultralite ASR 7000		+
1404246	043388420510	Ultralite ASR 9000		+

<sup>†</sup> Handled as spare parts and as such do not have an RRP

# Classic Luggage



Classic styled canvas fishing bags, with leather trim. Use on the bank or as an everyday travel accessory.


- Range of internal and external compartments, pockets and partitions
- Strong adjustable carry strap
- Aln and Test feature detachable waterproof lining













Aln Bag

Carryall Bag

**Compact Bag** 



Test Bag

# **Leather Reel Cases**



A range of hand made in the UK leather reel cases, in both standard and wide sizes.

Hand made in the UK

Real leather components

Green suede interior

Brass press stud fastening

Product Code	UPC Code	Size	Dimensions	l (inch)	T-Code	RRP (£)
oouc			(CIII)	(IIICII)		(L)
Regular	·		·			
1487457	043388450777	Small	96 x 53	3,8 x 2,1	J7685	99,90
1487458	043388450784	Medium	107 x 53	4,2 x 2,1	08069	104,90
1487459	043388450791	Large	120 x 62	4,7 x 2,4	X8454	109,90
1487460	043388450807	XL	134 x 71	5,3 x 2,8	W8838	114,90
Wide						
1487461	043388450814	Small	96 x 63	3,8 x 2,5	J7685	99,90
1487462	043388450821	Medium	107 x 68	4,2 x 2,7	R8069	104,90
1487463	043388450838	Large	120 x 83	4,7 x 3,3	M8454	109,90
1487464	043388450845	XL	134 x 87	5,3 x 3,4	H8838	114,90



# Caps





Product Code	UPC Code	Model	Colour	T-Code	RRP (£)
Caps					
1371691	043388325372	Logo Classic Hat	Pumpkin/Olive	L2300	29,90
1371693	043388325389	Logo Classic Hat	Olive/Gold	K2300	29,90
1371697	043388325426	Logo Trucker Hat	Khaki/Black	P2300	29,90



**Logo Trucker Hat** Khaki/Black

# Accessories

Our fishing tools—part of every angler's tackle box—are essential pieces of equipment. Strong, reliable and rust-proof, these Hardy tools will work when required, every time.

















	Product UPC Code Code		Model	T-Code	RRP (£)	
	Accessories			1		
Δ	1327333	617075430924	Lockable 5" Forceps	Z1531	19,90	
3	1327376	617075430931	Grip n Snip	P1531	19,90	
2	1327086	617075659257	Line Snips	B1146	14,90	
)	1327087	617075659295	Combo Tool	W1377	17,90	
Ξ	1327084	617075659172	Short Scissor Pliers	G1146	14,90	
F	1327085	617075659219	Long Scissor Pliers	M1377	17,90	

# Grain weights for double handed rods

			Scandi		Skagit		Mid Spey	
			Low	High	Low	High	Low	High
Zephrus DH								
1404118	11'6	#6/7	420	450	450	500	-	-
1404120	12'6	#7/8	450	510	525	575	-	-
1404121	13'6	#7/8	480	510	525	575	630	670
1404122	13'6	#8/9	510	570	550	600	660	700
1404123	14'6	#9/10	540	600	575	650	720	760
1404124	15'1	#10/11	580	640	675	725	780	820
Demon Switch	•							
1428450	11'	#5/6	390	430	440	500	-	-
1428451	11'	#6/7	420	450	450	530	-	-
1428452	11'	#7/8	450	480	500	580	-	-
Demon DH	•							
1428453	11'9	#7/8	450	500	520	600	-	-
1428454	12'9	#8/9	510	570	580	630	620	660
1428455	13'9	#9/10	550	620	600	660	690	725
1428456	14'9	#10/11	580	650	650	700	750	800
Shadow DH								
1428466	14'	#9/10	540	600	640	690	730	790

Line recommendations are formulated in a grain-weight range format subject to caster experience, fly size & weight, and wind conditions.

Weight recommendations are based off average line length by three styles of casting and do not take into account tip or leader additions.





# PLACING YOUR ORDER

#### **Pricing**

The trade pricing in this catalogue is marked as T-Code and in a format which allows you to use the trade catalogue without consumers recognising the trade price. The first digit of the code is a random letter. The remaining digits represent the actual trade price with the decimal point removed, assuming there two digits after the decimal point. So a T-Code of B2250 would represent a trade price of £22.50.

#### **Delivery & Carriage**

Delivery is normally within 48 hours for UK mainland addresses. Remote locations may take longer.

Orders with a trade value of £150 or more will be delivered carriage free. Orders with a trade value of less than £150 are charged at £7.50 plus VAT.

#### Telephone

#### 01665 602771

Our Sales Administration Team are available to take your orders between:

8.45 to 16.45 Monday to Thursday 8.45 to 15.15 on Friday

#### Fax

#### 01665 602389

Orders can be sent by fax at any time.

#### Email

#### pfsalesexp@purefishing.com


Orders can be sent by email at any time.

#### **Online Ordering Portal**

#### http://eu.purefishingmerchant.com

Customers can place orders online, check current stock availability and prices through our online portal, B2B.

For access please email pfsalesexp@purefishing.com or contact your Account Manager.



## ADOBE SCENE 7

#### Are you signed up to Scene 7?


### www.purefishing.com/media-portal

As a Hardy (Pure Fishing) dealer, you can sign up to access Media Portal (also known as Scene 7), which is the Hardy asset library we give access to our dealer network, along with other partners. Once registered with the system you can access it from any computer with internet access. Use Media Portal to find and download product and fishing landscape photography and logos for your project in the correct format. You can also download our catalogues as PDFs.

Individual images can be downloaded in a range of formats using our download wizards, and you can create your own collections or albums and download these as a zip file. Photoshop users can download files using the Scene 7 extension, instructions for which are available upon login under Personal Setup.

We are adding to the collection continuously, so Media Portal is the best place to get up to the minute content to help you sell Hardy products.

For customers requiring access to Media Portal please visit www.purefishing.com/media-portal.









Pure Fishing, Willowburn, Alnwick, Northumberland, NE66 2PF, England. Tel: +44 (0)1665 602771 www.hardyfishing.com

Hardy, a brand from Pure Fishing, Inc